

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : B65H 3/06	A1	(11) International Publication Number: WO 00/58190 (43) International Publication Date: 5 October 2000 (05.10.00)
(21) International Application Number: PCT/GB99/01010 (22) International Filing Date: 31 March 1999 (31.03.99) (71)(72) Applicant and Inventor: SULLIVAN, John, Anthony [GB/GB]; Pinfold, Church Lane, Woodford, Cheshire SK7 1RQ (GB). (74) Agents: MCNEIGHT, David, Leslie et al.; McNeight & Lawrence, Regent House, Heaton Lane, Stockport, Cheshire SK4 1BS (GB).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report.

(54) Title: APPARATUS FOR FEEDING SHEET MATERIAL



(57) Abstract

There is disclosed apparatus for feeding sheet material (S) sequentially on demand to processing machinery having a take-up mechanism (12) comprising a feed table (10) having a gate (11) and upon which the sheets (S) may be stacked against the gate (11) which allows only the lowermost sheet (S) to pass therebeneath, a bed (13) of rollers (14) within the surface of the table (10) which may be rotatably driven to advance the lowermost sheet (S) beneath the gate (11) to the take-up mechanism (12) when forward drive to the rollers (14) is arrested and means to allow the rollers (14) to free-wheel once the lowermost sheet (S) is being advanced thereover by said take-up mechanism (12) and vacuum suction means (30) behind the rollers (14) to hold the next lowermost sheet (S) against the action of the free-wheeling rollers (14) after the sheet (S) being fed has passed under the gate (11).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

APPARATUS FOR FEEDING SHEET MATERIAL

This invention concerns apparatus for feeding sheet material, particularly, though by no means exclusively, of corrugated board or card as used in the box and carton making industries.

In general, stacked sheets are placed on a feed table against a gate which allows only the lowermost sheet to pass therebeneath under the action of a reciprocating vacuum suction cup, feed rollers or a kicker mechanism, to be taken into the nip of take-up rolls. Such feeding arrangements must be controlled with great precision and even then misfeeds are a not uncommon experience.

One solution to these problems is proposed in my British Patent No. 2 274 276, but this involves reciprocating movement of the entire roller bed, which is not energy efficient and places certain restrictions on sheet size.

According to the present invention there is provided apparatus for feeding sheet material sequentially on demand to processing machinery having a take-up mechanism comprising a feed table having a gate and upon which the sheets may be stacked against the gate which allows only the lowermost sheet to pass therebeneath, a bed of rollers within the surface of the table which may be rotatably driven to advance the lowermost sheet beneath the gate to the take-up mechanism when forward drive to the rollers is arrested and means to allow the rollers to free-wheel once the lowermost sheet is being advanced thereover by said take-up mechanism and vacuum suction means behind the rollers to hold the next lowermost sheet against the action of the free-wheeling rollers after the sheet being fed has passed under the gate.

The take-up mechanism may comprise take-up rolls.

The rollers may be fitted with sprag clutches and may advance the sheet being fed at a slower speed than that of the take-up mechanism.

Vacuum suction may be applied from beneath the rollers to pull the lowermost sheet downwardly thereagainst.

The invention will be further apparent from the following description with reference to the figures of the accompanying drawings, which show, by way of example only, two forms of sheet feeding apparatus embodying same.

Of the drawings:-

Figure 1 shows a side elevation of a first form of apparatus;

Figure 2 shows a cross-section through the apparatus on the line II-II of Figure 1; and

Figure 3 shows a side elevation of a second form of apparatus.

Referring now to Figures 1 and 2 it will be seen that the apparatus comprises a feed table 10 upon which a stack of sheets S may be placed against a gate 11 beneath which only the lowermost sheet in the stack may pass.

Successive sheets are advanced beneath the gate 11 into the nip of take-up rolls 12 by a bed 13 of rollers 14 within the surface of the table. The take-up rolls 12 forward the successive sheets in timed sequence to processing machinery such as a rotary die-cutter.

The rollers are mounted within a chamber 15 to which vacuum suction is applied to pull the lowermost sheet downwardly thereagainst.

The rollers 14 advance the lowermost sheet by being rotatably driven as indicated by the arrows X at a speed equal to or less than the speed of the take-up rolls 12. Once the sheet is advanced by the rolls 12 and rollers 14 free-wheel, the rollers 14 having sprag clutches between their inner peripheries and their drive shafts 16.

At least during this free-wheeling stage forward drive to the rollers 14 is arrested and a vacuum chamber 30 behind the rollers 14 is exhausted to hold the next lowermost sheet in a fixed position against the action of the free-wheeling rollers after the sheet being fed has passed under the gate 11 to leave an opening through which the next sheet could otherwise prematurely pass. The chamber 30 can be exhausted continuously or cyclically.

The drive shafts 16 are rotatably interconnected by timing drive belts 17 and one shaft is driven by a timing belt 18 itself driven intermittently in a forward direction only by a servo-electric motor 21 which stops whilst a sheet is being advanced by the take-up rolls 12 and which operates at a timed sequence demanded by the processing machinery.

The arrangement of Figure 3 is generally similar, like parts being indicated by like reference numerals. In this embodiment, however, the timing belt 18 is driven

by a timing belt 19 reciprocated by an arm 20 operating in time with the processing machinery. Thus the shafts 16 of the rollers 14 are driven in reverse direction during the time that the rollers 14 are free-wheeling.

It will be appreciated that it is not intended to limit the invention to the above example only, many variations, such as might readily occur to one skilled in the art, being possible, without departing from the scope thereof as defined by the appended claims.

Other drive mechanisms are possible such as from a reciprocating cam imitating the movement of the arm 20 of Figure 3.

CLAIMS

1. Apparatus for feeding sheet material sequentially on demand to processing machinery having a take-up mechanism comprising a feed table having a gate and upon which the sheets may be stacked against the gate which allows only the lowermost sheet to pass therebeneath, a bed of rollers within the surface of the table which may be rotatably driven to advance the lowermost sheet beneath the gate to the take-up mechanism when forward drive to the rollers is arrested and means to allow the rollers to free-wheel once the lowermost sheet is being advanced thereover by said take-up mechanism and vacuum suction means behind the rollers to hold the next lowermost sheet against the action of the free-wheeling rollers after the sheet being fed has passed under the gate.
2. Apparatus according to claim 1 wherein the take-up mechanism comprises take-up rolls.
3. Apparatus according to claim 1 or claim 2 wherein the rollers are fitted with sprag clutches and advance the sheet being fed at a slower speed than that of the take-up mechanism.
4. Apparatus according to any one of claims 1-3 wherein vacuum suction is applied from beneath the rollers to pull the lowermost sheet downwardly against the rollers.
5. Apparatus according to any one of claims 1 to 4 wherein the rollers are driven by a servo electric motor which alternately drives the rollers forwardly and stops, the timing of the motor being controlled by the processing machinery.

6. Apparatus according to any one of claims 1-4 wherein the rollers are rotably interconnected by timing drive belts and one is driven by a further timing drive belt reciprocated by an arm operating in time with the processing machinery.
7. Apparatus according to claim 6 wherein said further drive belt is toothed.




FIG. 1





FIG. 2

FIG. 3

THIS PAGE BLANK (USPTO)

INTERNATIONAL SEARCH REPORT

Internat. Application No.

PCT/GB 99/01010

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 B65H3/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 B65H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 96 29269 A (SULLIVAN JOHN ANTHONY) 26 September 1996 (1996-09-26) the whole document	1-7
Y	US 4 648 587 A (HIROMORI KUNIO ET AL) 10 March 1987 (1987-03-10) column 2, line 21 - line 43; figure 1	1-7
A	EP 0 794 140 A (MITSUBISHI HEAVY IND LTD) 10 September 1997 (1997-09-10) column 13, line 54 - column 15, line 33; figures 6,7	1,5

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

3 November 1999

Date of mailing of the international search report

12/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2.
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

David, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 99/01010

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9629269 A	26-09-1996	AU 691655 B	21-05-1998
		AU 3395895 A	08-10-1996
		BR 9510535 A	01-06-1999
		CA 2213447 A	26-09-1996
		CN 1175237 A	04-03-1998
		DE 69508439 D	22-04-1999
		DE 69508439 T	08-07-1999
		EP 0815045 A	07-01-1998
		JP 11502182 T	23-02-1999
US 4648587 A	10-03-1987	JP 1514454 C	24-08-1989
		JP 59177227 A	06-10-1984
		JP 63064367 B	12-12-1988
EP 0794140 A	10-09-1997	JP 2836933 B	14-12-1998
		JP 4106050 A	08-04-1992
		AU 651785 B	28-07-1994
		AU 4478893 A	18-11-1993
		AU 8015591 A	09-01-1992
		DE 69127859 D	13-11-1997
		DE 69127859 T	05-02-1998
		EP 0465355 A	08-01-1992
		US 5172898 A	22-12-1992
		US 5219157 A	15-06-1993
		AU 643302 B	11-11-1993